20

25

5

WHAT IS CLAIMED IS:

1. A synthetic polypeptide containing one or several defined sequences of PrP or sequences derived therefrom, said sequences being recognized by PrP^{Sc} - binding substances.

2. Synthetic polypeptide as claimed in claim 1, wherein the sequence corresponds to one of the following formulas, containing at least one of the said sequences or a combination of several sequences:

- (a) Gly-R₁-Asp-R₂ Glu-Asp-Arg-(Tyr-Tyr)
- (b) (Gin)-(Vai)-Tyr-Tyr-R₃ -Pro-R₄-Asp-R₅ -Tyr-R₆-(Asn-Gin)
- (c) Cys-R₇-Thr-Glh-Tyr-R₈-R₉-Glu-Ser-R₁₀-Ala-(R₁₁-Tyr)
- (d) (Tyr-Arg)-Glu-Asn-Met-R₁₂-Arg-Tyr-Pro-Asn-(Gln-Val-Tyr)

where R_1 = Asn or Ser, R_2 = Trp or Tyr, R_3 = Arg or Lys, R_4 = Met, Val or Ala, R_5 = Gln, Glu or Arg, R_6 = Ser or Asn, R_7 = Val, Thr or IIe, R_8 = Gln or Glu, R_9 = Lys, Arg or Gln, R_{10} = Gln or Glu, R_{11} = Tyr, Ser or Ala and R_{12} = His, Tyr or Asn, and where the amino acids in parentheses are not mandatorily present.

- 3. Synthetic polypeptide as claimed in claim 1, wherein the sequence corresponds to one of the following formulas, containing at least one of the said sequences or a combination of several sequences:
 - (e) Gly-Trp-Gly-Glh-Pro-His-Gly-Gly-Gly-Trp-Gly-Gln-Pro-His-Gly
 - (f) Lys-Pro-R₁₄-Lys-Pro-Lys-Thr-R₁₄-R₁₅-Lys-His-R₁₆-Ala-Gly
 - (g) Tyr-R₁₆-Leu-Gy-Ser
 - (h) Ser-Ala-Met-Ser-Arg-Pro-R₁₇-R₁₇-His-Phe-Gly-R₁₄-Asp
 - (i) Asn-Met-R₁₈-Arg-Tyr-(Pro-R₁₄)-(Gln-Val-Tyr-Tyr-R₁₉)

where R_{14} = Asn or Sef, R_{15} = Met, Leu or Phe, R_{16} = Met or Val, R_{17} = IIe, Leu or Met, R_{18} = His, Tyr or Asn and R_{19} = Lys or Arg and where the amino acids or sequence zones in parentheses are not mandatorily present.

- Q 5
- 4. Synthetic polypeptide as claimed in ene of claims 1 through a characterized in that the sequence is coupled with a "conformation" sequence, where applicable by means of a conventional spacer sequence, said conformation sequence inducing the formation of a defined conformation of the synthetic polypeptide.

5. Synthetic polypeptide as claimed in one of claims 1 through 4 characterized in that the "conformation" sequence induces the formation of a β strand.

Sul 32

- 6. Synthetic polypeptide as claimed in claim 2, 3 and 5, corresponding to one of the following formulas:
- (e) (X)-(Gly)-Ala-Val-Val-Gly-Gly-Leu-Gly-Gly-Tyr-(R_{13})-Z-Tyr-Tyr- R_3 -Pro- R_4 -Asp- R_5 -Tyr- R_6 -(Asn-Gln)-(Y)
- (f) (X)-Tyr-Tyr-R₃ -Pro-R₄-Asp-R₅ -Tyr-R₆ -(Asn-Gln)-Z-(Gly)-Ala-Val-Val-Gly-Gly-Leu-Gly-Tyr-(R₁₃)-(Y)

where X and Y are arbitrary amino-acid sequences, Z is a conventional spacer such as Gly-Gly, R_3 = Arg or Lys, R_5 = Gln, Glu or Arg, R_6 = Ser or Asn and R_{13} = Met or Val, and where the sequence zones in parentheses need not necessarily be present.

a_20

7. Synthetic polypeptide as claimed in one of the above claims, characterized in that it is present in the retro form at least in one partial sequence.

- Synthetic polypeptide as claimed in one of bove claims, characterized in that 8. at least one of the amino acids it contains is present in the D form.
- Synthetic polypeptide as claimed in one of the above claims, characterized in that 9. it is present in derivative form.
 - A pharmaceutical preparation for the therapy of prion diseases, characterized in that it contains at least one of the synthetic polypeptides stated in c least one PrPsc-binding substance recognizing the defined sequences, and contains it in a dose adequate for therapy or prevention.
 - Diagnostic means for prion diseases, characterized in that it contains at least one 11. through-9 or at least one PrPsc binding of the synthetic polypeptides stated in claims substance recognizing the defined sequences in a dose sufficient for the particular detection.
 - Diagnostic means for prion diseases, characterized in that it contains at least one 12. راهن ا aims 1 through 9 or at least one PrP^{sc}-binding of the synthetic polypeptides stated in cl substance recognizing the defined sequences in a dose sufficient for immunization.

A pharmaceutical preparation, a diagnostic means or vaccine as claimed in one ugh S, characterized in that the PrP^{sc} - binding substance it contains is a recombinantly produced rbPrP of the formula of Fig. 4 or in the form of genus-specific deviations thereof.

A DNA molecule coding at least one of the synthetic polypeptides of

a

- 16. A method for preparing PrPsc-specific antibodies characterized in that non-human mammals are immunized with at least one polypeptide as claimed in claims 1 throughs and in that the antibody or antibodies formed as a reaction are conventionally isolated from the mammal following a time interval sufficient for immunization.
- 17. A method for detecting PrP^{sc}-specific surface sequence zones, characterized in that a PrP^c-specific peptide bank is incubated with PrP^{sc}-binding substances and in that the binding zones of the peptide bank are made visible using usual visualization techniques and in that the sequence zones are determined therefrom.
- 18. Application of the polypeptides claimed in claims 1 through 9 to a pharmaceutical or chemical library to detect PrPsc-specific active ingredients.